

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4713	123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/14 13:10
L2	37	L1 and (epoxy or fiber or composite) near2 (rod or bar)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/14 13:10
S1	354	123/90.61.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/22 11:42
S2	19	S1 and (end or fitting or cap) with (bevel\$3 or ang\$4 or slant\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/22 11:44
S3	20	S1 and (end or tip or fitting or cap) with (bevel\$3 or ang\$4 or slant\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/22 11:51
S4	24	S1 and (end or tip or fitting or cap) with (bevel\$3 or chamfer\$3 or ang\$4 or slant\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/22 11:52
S5	4	S4 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/22 11:52
S6	33	123/90.61.ccls. and mat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/14 13:08
S7	6	(123/90.61.ccls. and mat\$3) and composite	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:10
S8	66	(push adj rod or pushrod or push\$1rod) and composite and adjust\$4 and (ball or spherical\$2 or round\$4) near2 end	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:12
S9	13	((push adj rod or pushrod or push\$1rod) and composite and adjust\$4 and (ball or spherical\$2 or round\$4) near2 end) and ("123"/\$.ccls. or "74"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:23
S10	7	"4589384".URPN.	USPAT	OR	ON	2004/07/19 16:17

S11	18	("1500901"   "1770730"   "1874471"   "2067114"   "2346737"   "2404478"   "2634714"   "2746436"   "2809618"   "2812750"   "2865352"   "3132636"   "3450228"   "3699934"   "3717134"   "3875911"   "4186696"   "4231267").PN.	USPAT	OR	ON	2004/07/19 16:21
S12	0	english==eric-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:23
S13	0	english==eric.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:23
S14	0	english-eric-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:23
S15	0	english-eric.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:23
S16	17	"4186696"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:29
S17	15	"4453505".URPN.	USPAT	OR	ON	2004/07/19 16:26
S18	5	("3748304"   "4016140"   "4186696"   "4218996"   "4224214").PN.	USPAT	OR	ON	2004/07/19 16:28
S19	22	"4848286"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:31
S20	7	"5083884"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:31
S21	11	"5983849"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:32
S22	4	"6216557"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:32

S23	459	123/90.61,90.62,90.64.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:41
S24	2372	74/579R,586,587,590,593,594.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:42
S25	94	29/888.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:42
S26	389	464/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:42
S27	1419	138/124,137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:43
S28	18	123/90.61,90.62,90.64.ccls. and 29/888.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:44
S29	10	74/579R,586,587,590,593,594.ccls. and 29/888.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:47
S30	0	464/183.ccls. and 29/888.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:47
S31	0	138/124,137.ccls. and 29/888.2. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:47
S32	23	123/90.61,90.62,90.64.ccls. and 74/579R,586,587,590,593,594.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:48
S33	1	123/90.61,90.62,90.64.ccls. and 464/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:49
S34	0	123/90.61,90.62,90.64.ccls. and 138/124,137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:49

S35	4685	123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 17:30
S36	68	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and layer\$3 with (bar or rod or pushrod)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:51
S37	0	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and layer\$3 with (adjust\$4 near4 (bar or rod or pushrod))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:51
S38	0	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (layer\$3 with (bar or rod or pushrod)) same adjust\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 16:52
S39	3	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (layer\$3 with (bar or rod or pushrod)) same var\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 17:00
S40	9	123/90.61,90.62,90.64.ccls. and fiber	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 17:01
S41	5	123/90.61,90.62,90.64.ccls. and epoxy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 17:02
S42	238	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and epoxy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 17:02
S43	62	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and epoxy with fiber	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/19 17:02
S44	127	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$3 or sheet or woven) with epoxy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 10:25

S45	459	123/90.61,90.62,90.64.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 10:16
S46	5	((123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$3 or sheet or woven) with epoxy) and 123/90.61,90.62,90.64.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 10:18
S47	2	((123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$3 or sheet or woven) with epoxy) and (lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 10:20
S48	4	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) with epoxy same (lengthen or shorten or adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 10:24
S49	69	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) with (lengthen or shorten or adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 10:25
S50	9	(123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.) and ((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 10:31
S51	10255	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:10

S52	107	(((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))) and ("123"/\$.ccls. or "74"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:12
S53	1	((US-RE35282-\$).did.	USPAT	OR	OFF	2004/07/20 10:58
S54	1	((US-RE35282-\$).did.) and (lengthen or shorten or adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:00
S55	0	((US-RE35282-\$).did.) and (composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:01
S56	0	((US-RE35282-\$).did.) and metal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:01
S57	0	((US-RE35282-\$).did.) and aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:07
S58	1	((US-RE35282-\$).did.) and bevel\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:08
S59	24	(((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))) and ("123"/\$.ccls. or "74"/\$.ccls.)) and (bevel\$3 or angl\$3 or angular) with (surface or mat\$3 or bond\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:09
S60	1620	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod)))) and (bevel\$3 or angl\$3 or angular) with (surface or mat\$3 or bond\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 17:25

S61	24	((((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) same ((lengthen or shorten or adjust\$4) with (rod or bar or pushrod or push\$1rod))) and (bevel\$3 or angl\$3 or angular) with (surface or mat\$3 or bond\$3)) and ("123"/\$.ccls. or "74"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 11:12
S62	26085	(composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3) with (woven or hatch\$2 or cross\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 17:28
S63	4325	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3)) with ((woven or hatch\$2 or cross\$3) near3 fiber\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 17:30
S64	126	((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3)) with ((woven or hatch\$2 or cross\$3) near3 fiber\$5) same (rod or bar or pushrod or push\$1rod)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 17:30
S65	21	((((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3)) with ((woven or hatch\$2 or cross\$3) near3 fiber\$5)) and (123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 17:54
S66	1	((((composite or laminat\$3 or layer\$3 or stratif\$5 or membran\$4 or fiber\$5 or glass or sheet or woven) near3 (epoxy or resin or impregnat\$3)) with ((woven or hatch\$2 or cross\$3) near3 fiber\$5) same (rod or bar or pushrod or push\$1rod)) and (123/90.61,90.62,90.64.ccls. or 74/579R,586,587,590,593,594.ccls. or 29/888.2.ccls. or 464/183.ccls. or 138/124,137.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/20 17:54